

Prøvningsrapport

Project no.: 231551
Report no.: 1
Date: 02-03-2005
Page: 1 of 5
Annex: Migration report no 6-112

Ordered:
Malte Haaning Plastic A/S
Ringvejen 51-53
7900 Nykøbing M
Ant. Lene Haaning

Test item: Midi product group 1 Colour no. 1-48, 55, 56, 60 and no. 54

Mark: See page 2

Origin: Delivered to FORCE Technolgy in Vejen, by ordered on 20-12-2004

Test date: 20.12.2004-25.02.2005

Method:

FCS 56

EN 71.1: 1998 Safety of toys-Part 1: Mechanical and physical properties.

EN 71.2: 2003 Safety of toys-Part 2: Flammability

EN 71.3: 1994 Safety of toys-Part 3: Migration of certain elements*

ASTM F 963-96-a

* Migration test is performed by Force Technolgy in Brøndby accreditation no. 65

* ASTM F 963-96-a is not a accredited examination

Results:

The toys complies with the requirement of mentioned.
regulation

The results of the examination carried out refer only to the sample submitted and do
not guarantee the bulk of the items from which the samples was obtained to be of
equal quality

The samples will be stored until 2 years after testing

Vejen the 02-03-2005



Steen Hansen

Project Manager

Prøvningsrapporten må kun gengives i uddrag med FORCE Technologys skriftlige tilladelse.
Prøvningsresultaterne gælder udelukkende for de prøvede emner.

De "Almindelige betingelser" på bagsiden er en integreret del af vor ydelse.

FORCE Technology, Vejen
Navervej 1
6600 Vejen, Danmark
Tel. +45 76 96 16 00
Fax +45 75 36 41 55

FORCE Technology Norway AS
Claude Monets allé 5
1338 Sandvika, Norge
Tel. +47 64 00 35 00
Fax +47 64 00 35 01
info@forcetechnology.no
www.forcetechnology.no

FORCE Technology Sweden AB
Tallmätargatan 7
721 34 Västerås, Sverige
Tel. +46 (0)21 490 3000
Fax +46 (0)21 490 3001
info@forcetechnology.se
www.forcetechnology.se

FORCE Technology, Hovedkontor
Park Allé 345
2605 Brøndby, Danmark
Tel. +45 43 26 70 00
Tel. +45 43 26 70 11
force@force.dk
www.forcetechnology.com

Project no.: 231551
Report no.: 1
Date: 02-03-2005
Page: 2 of 5

Description:

Color no. 1-48, 55-56 and no 54 glitter

Marking:

Manufacturer/ Impc Malte Haaning Plastic A/S

CE,

Warning: Choking Hazard-Small parts not for children under 3 years

Figure:



Project no.: 231551
 Report no.: 1
 Date: 02-03-2005
 Page: 3 of 5



Clause	Description	I/R
4.	General requirements	
4.1	Material	R
4.2	Assembly	I
4.3	Flexible plastics sheeting	I
4.4	Toy bags	I
4.5	Glass	I
4.6	Expanding materials	I
	Constructions	
	General requirement	
4.7	Edges	I
4.8	Points and wires	I
4.9	Tubes and similar rigid components	I
4.10	Folding mechanisms	I
4.10.2	Driving mechanisms	I
4.10.3	Hinges	I
4.10.4	Springs	I
4.11	Mouth actuated toys	I
4.12	Balloons	I
4.13	Cords of toy kites and other flying toys	I
4.14.1	Toys which a child can enter	I
4.14.2	Mask and helmets	I
4.15	Toys intended to bear the mass of a child	I
4.16	Heavy immobile toys	I
4.17	Projectiles	I
4.18	Aquatic toys	I
4.19	Percussion caps specifically designed for use in toys	I
4.20	Acoustics	I
4.21	Toys containing a heat source	I
5.	Toys intended for children under 36 months	I
5.1	General requirements	I
5.2	Filling materials	I
5.3	Adhesion of plastic sheeting	I
5.4	Cords on toys	I
5.5	Liquid filled toys	I
5.6	Swings	I
5.7	Speed limitation of electrically driven toys	I
5.8	Glass and porcelain	I
5.9	Shape and size of certain toys	I
5.10	Toys comprising monofilament fibres	I
6.	Packaging	R

R = Relevant point to be tested

I = Irrelevant point to be tested

Project no.: 231551
Report no.: 1
Date: 02-03-2005
Page: 4 of 5



Clause	Description	I/R
7.	Warning and instruction for use	
7.1	General	R
7.2	Toys not intended for children under 36 months	R
7.3	Latex balloons	I
7.4	Toys intended to bear the mass of a child	I
7.5	Aquatic toys	I
7.6	Functional toys	I
7.7	Functional sharp edges and points	I
7.8	Projectiles	I
7.9	Imitation protective masks and helmets	I
7.10	Toy kites	I
7.11	Roller skates and toy skateboards	I
7.12	Toys intended to be strung across a cradle, cot, or perambulator	I
7.13	Liquid filled tethers	I
7.14	Percussion caps specifically designed for use in toys	I
7.15	Acoustics	I
7.16	Toy bicycles	I
7.17	Toys intended to bear the mass of a child	I
7.18	Toys comprising monofilament fibres	I

EN 71.2 Flammability		
Clause	Description	I/R
	Are the toys intended to be washed	
4.1	General	R
4.2	Beards, mustaches, wigs and masks	I
4.3	Disguise costumes	I
4.4	Toys designed to be entered by a child	I
4.5	Stuffed soft toys with a pile surface	I
EN 71.3 Migration of certain elements		
8.1	Coatings of paint, varnish, lacquer, printing ink, polymer	I
8.2	Polymeric and similar materials	R
8.3	Paper and paper board	I
8.4	Textiles	I
8.5	Glass/ ceramic/ metallic materials	I
8.6	Other materials, whether mass colored or not	I
8.7	Materials intended to leave a trace	I
8.8	Pliable modeling materials, including clay and gels	I
8.9	Paints, including finger paints, varnishes, glazing powders	I

R = Relevant point to be tested

I = Irrelevant point to be tested

Project no.: 231551
Report no.: 1
Date: 02-03-2005
Page: 5 of 5



Relevant point to test		
Clause	Test	
EN 71.1	Mechanical and physical properties	
4.1	Materials	
7.1	Manufacturer / Importer	
7.2	Not suitable for children under 3 years	
EN 71.2	Flammability	
4.1	General	
EN 71.3	Migration of certain elements	
8.2	Polymeric and similar materials	
Test results	Test	Results
EN 71.1	Mechanical and physical properties	
4.1	Materials	Pass
6.	Packaging	Pass
7.1	Manufacturer / Importer	Pass
7.2	Not suitable for children under 3 years	Pass
EN 71.2	Flammability	
4.1	General	Pass
EN 71.3	Migration of certain elements	
8.2	Polymeric and similar materials	Pass
ASTM F963 5.10.2	Not suitable for children under 3 years	Pass
ASTM F963 7	Manufacturer / Importer	Pass
ASTM F963 4.3.5	Chemical analytical testing	Pass

Test results, comment.

EN 71.1
 4.1 The used material is approved
 7.1 Manufacturer / Importer marking ok
 7.2 Warning is relevant and correct
 EN 71.2 Flammability
 4.1 The used material is approved
 EN 71.3
 8.2 The used material is under limits of element migration from toys materials
 ASTM F963 5.10.2 Warning is relevant and correct
 ASTM F963 7 Manufacturer / Importer marking ok
 ASTM F963 4.3.5 The used material is under limits of Pb from toys materials

Prøvningsrapport

Project no.: 231551
Report no.: 2
Date: 02-03-2005
Page: 1 of 5
Annex: Migration report no. 6-112

Ordered:
Malte Haaning Plastic A/S
Ringvejen 51-53
7900 Nykøbing M
Ant. Lene Haaning

Test item: Midi product group 2 .

Mark: See page 2

Origin: Delivered to FORCE Technology in Vejen, by ordered on 20-12-2004

Test date: 20.12.2004-25.02.2005

Method:

FCS 56

EN 71.1: 1998 Safety of toys-Part 1: Mechanical and physical properties.

EN 71.2: 2003 Safety of toys-Part 2: Flammability

EN 71.3: 1994 Safety of toys-Part 3: Migration of certain elements*

ASTM F 963-96-a

* Migration test is performed by Force Technology in Brøndby accreditation no. 65

* ASTM F 963-96-a is not a accredited examination

Results:

The toys complies with the requirement of mentioned.
regulation

The results of the examination carried out refer only to the sample submitted and do
not guarantee the bulk of the items from which the samples was obtained to be of
equal quality

The samples will be stored until 2 years after testing

Vejen the 02-03-2005


Steen Hansen

Project Manager

Prøvningsrapporten må kun gengives i uddrag med FORCE Technologys skriftlige tilladelse.
Prøvningsresultaterne gælder udelukkende for de prøvede emner.

De "Almindelige betingelser" på bagsiden er en integreret del af vor ydelse.

Project no.: 231551
Report no.: 2
Date: 02-03-2005
Page: 2 of 5


Description:

Article no. 219, 220, 221, 222, 223, 232, 233, 234, 236, 249, 269, 270, 271, 272, 273, 276, 277, 278, 279, 280, 281, 282, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299

Marking:

Manufacturer/ Impo Malte Haaning Plastic A/S
CE,

Figure:



Project no.: 231551
Report no.: 2
Date: 02-03-2005
Page: 3 of 5



Clause	Description	I/R
4.	General requirements	
4.1	Material	R
4.2	Assembly	I
4.3	Flexible plastics sheeting	I
4.4	Toy bags	I
4.5	Glass	I
4.6	Expanding materials	I
	Constructions	
	General requirement	
4.7	Edges	I
4.8	Points and wires	I
4.9	Tubes and similar rigid components	I
4.10	Folding mechanisms	I
4.10.2	Driving mechanisms	I
4.10.3	Hinges	I
4.10.4	Springs	I
4.11	Mouth actuated toys	I
4.12	Balloons	I
4.13	Cords of toy kites and other flying toys	I
4.14.1	Toys which a child can enter	I
4.14.2	Mask and helmets	I
4.15	Toys intended to bear the mass of a child	I
4.16	Heavy immobile toys	I
4.17	Projectiles	I
4.18	Aquatic toys	I
4.19	Percussion caps specifically designed for use in toys	I
4.20	Acoustics	I
4.21	Toys containing a heat source	I
5.	Toys intended for children under 36 months	I
5.1	General requirements	I
5.2	Filling materials	I
5.3	Adhesion of plastic sheeting	I
5.4	Cords on toys	I
5.5	Liquid filled toys	I
5.6	Swings	I
5.7	Speed limitation of electrically driven toys	I
5.8	Glass and porcelain	I
5.9	Shape and size of certain toys	I
5.10	Toys comprising monofilament fibres	I
6.	Packaging	R

R = Relevant point to be tested

I = Irrelevant point to be tested

Project no.: 231551
Report no.: 2
Date: 02-03-2005
Page: 4 of 5



Clause	Description	I/R
7.	Warning and instruction for use	
7.1	General	R
7.2	Toys not intended for children under 36 months	R
7.3	Latex balloons	I
7.4	Toys intended to bear the mass of a child	I
7.5	Aquatic toys	I
7.6	Functional toys	I
7.7	Functional sharp edges and points	I
7.8	Projectiles	I
7.9	Imitation protective masks and helmets	I
7.10	Toy kites	I
7.11	Roller skates and toy skateboards	I
7.12	Toys intended to be strung across a cradle, cot, or perambulator	I
7.13	Liquid filled tethers	I
7.14	Percussion caps specifically designed for use in toys	I
7.15	Acoustics	I
7.16	Toy bicycles	I
7.17	Toys intended to bear the mass of a child	I
7.18	Toys comprising monofilament fibres	I

EN 71.2 Flammability		
Clause	Description	I/R
	Are the toys intended to be washed	
4.1	General	R
4.2	Beards, mustaches, wigs and masks	I
4.3	Disguise costumes	I
4.4	Toys designed to be entered by a child	I
4.5	Stuffed soft toys with a pile surface	I
EN 71.3 Migration of certain elements		
8.1	Coatings of paint, varnish, lacquer, printing ink, polymer	I
8.2	Polymeric and similar materials	R
8.3	Paper and paper board	I
8.4	Textiles	I
8.5	Glass/ ceramic/ metallic materials	I
8.6	Other materials, whether mass colored or not	I
8.7	Materials intended to leave a trace	I
8.8	Pliable modeling materials, including clay and gels	I
8.9	Paints, including finger paints, varnishes, glazing powders	I

R = Relevant point to be tested

I = Irrelevant point to be tested

Project no.: 231551
Report no.: 2
Date: 02-03-2005
Page: 5 of 5



Relevant point to test		
Clause	Test	
EN 71.1	Mechanical and physical properties	
4.1	Materials	
7.1	Manufacturer / Importer	
7.2	Not suitable for children under 3 years	
EN 71.2	Flammability	
4.1	General	
EN 71.3	Migration of certain elements	
8.2	Polymeric and similar materials	
Test results	Test	Results
EN 71.1	Mechanical and physical properties	
4.1	Materials	Pass
6.	Packaging	Pass
7.1	Manufacturer / Importer	Pass
7.2	Not suitable for children under 3 years	Pass
EN 71.2	Flammability	
4.1	General	Pass
EN 71.3	Migration of certain elements	
8.2	Polymeric and similar materials	Pass
ASTM F963 5.10.2	Not suitable for children under 3 years	Pass
ASTM F963 7	Manufacturer / Importer	Pass
ASTM F963 4.3.5	Chemical analytical testing	Pass

Test results, comment.

EN 71.1
 4.1 The used material is approved
 7.1 Manufacturer / Importer marking ok
 7.2 Warning is relevant and correct
 EN 71.2 Flammability
 4.1 The used material is approved
 EN 71.3
 8.2 The used material is under limits of element migration from toys materials
 ASTM F963 5.10.2 Warning is relevant and correct
 ASTM F963 7 Manufacturer / Importer marking ok
 ASTM F963 4.3.5 The used material is under limits of Pb from toys materials