



USER MANUAL


Open




Pull out the front crossbar with 2 hands.



Close



Push in the front crossbar with 2 hands.



ASSEMBLY INSTRUCTION

DE - MONTAGEANWEISUNG

FR - INSTRUCTIONS DE MONTAGE

DK - MONTAGEVEJLEDNING

CZ - NÁVOD K MONTÁŽI

ES - INSTRUCCIONES DE MONTAJE

FI - ASENNUSOHJE

HR - UPUTE ZA MONTAŽU

SE - MONTERINGSANVISNING

SI - NAVODILA ZA MONTAŽO

TR - MONTAJ TALIMATI

NO - MONTASJEANVISNING

IT - ISTRUZIONI DI MONTAGGIO


GR - ΟΔΗΓΙΑ ΣΥΝΑΡΜΟΛΟΓΗΣΗΣ

NL - MONTAGE INSTRUCTIE







PT - INSTRUÇÕES DE MONTAGEM

PL - INSTRUKCJA MONTAŻU






HU - SZERELÉSI UTASÍTÁS



5 min




1



2

Remove the left / right leg frame depending on use needs.
Remove all hardware in (1B) group.
Keep all hardware in (1A) group.



3

Assemble the side table with the hardware number (2) & (1A) as below figure.

