



HP DeskJet 2820e All-in-One-printer

Mærke : HP

Produktserie: DeskJet

Produktkode: 588K9B

Produktnavn : DeskJet 2820e
All-in-One-printer

- Scan til PDF
- Print, kopiering, scanning
- Printhastighed op til 7,5 sider/min. (sort) og 5,5 sider/min. (farve)
- Op til 1200 x 1200 dpi-ækvivalent

DeskJet 2820e All-in-One-printer

HP DeskJet 2820e All-in-One-printer. Udskrivningsteknologi: Termisk inkjet, Udskrivning: Farveudskrivning, Maksimal opløsning: 4800 x 1200 dpi, Udskrivningshastighed (farve, normal kvalitet, A4/amerikansk papirformat): 5,5 sider pr. minut. Kopiering: Farvekopiering, Maksimal kopiopløsning: 300 x 300 dpi. Scanning: Farvescanning, Optisk scanningsopløsning: 1200 x 1200 dpi. Duplex-funktioner: Udskriv. Maksimal ISO A-serie papirstørrelse: A4. Wi-Fi. Produktfarve: Grå




Printing		Performance	
Duplex printing mode	Manual	Built-in processor	✓
Print resolution colour	4800 x 1200 DPI	Processor frequency	1000 MHz
Print resolution black	1200 x 1200 DPI	Sound power level (printing)	6.1 dB
Print technology *	Thermal inkjet	Design	
Printing *	Colour printing	Product colour *	Grey
Duplex printing *	✓	Colour name	Cement
Maximum resolution *	4800 x 1200 DPI	Market positioning *	Home & office
Print speed (black, normal quality, A4/US Letter) *	7.5 ppm	Built-in display *	✓
Print speed (colour, normal quality, A4/US Letter)	5.5 ppm	Display	LCD
Print speed (black, draft quality, A4/US Letter)	20 ppm	Control type	Buttons
Print speed (colour, draft quality, A4/US Letter)	16 ppm	Power	
Print speed (ISO/IEC 24734) black	7.5 ppm	Power consumption (ready)	2.8 W
Print speed (ISO/IEC 24734) colour	5.5 ppm	Power consumption (sleep)	1.4 W
Time to first page (black, normal)	15 s	Power consumption (off)	0.3 W
Time to first page (colour, normal)	19 s	AC input voltage	100 - 240 V
Borderless printing	✗	AC input frequency	50/60 Hz
Copying		Brand-specific features	
Duplex copying *	✓	HP GTIN (EAN/UPC)	196337380042
Copying *	Colour copying	System requirements	
Maximum copy resolution *	300 x 300 DPI	Windows operating systems supported	Windows 11, Windows 10
Maximum number of copies	9 copies	Mac operating systems supported	Mac OS X 10.15 Catalina, Mac OS X 13.0 Ventura, Mac OS X 11.0 Big Sur, Mac OS X 10.14 Mojave, Mac OS X 12.0 Monterey
Scanning		Other operating systems supported	ChromeOS
Duplex scanning *	✗	Operational conditions	
Scanning *	Colour scanning	Operating relative humidity (H-H)	20 - 80%
Optical scanning resolution *	1200 x 1200 DPI	Operating temperature (T-T)	5 - 40 °C
Maximum scan area	209.9 x 349.6 mm	Non-operating relative humidity (non-condensing)	5 - 90%
Scanner type *	Flatbed & ADF scanner	Operating altitude	0 - 3000 m
Document formats supported	PDF	Non-operating altitude	0 - 4500 m
Scan drivers	TWAIN		
Fax			
Faxing *	✗		

Features		Certificates	
Recommended duty cycle	50 - 100 pages per month	Certification	EN 55032:2015+A11:2020 CLASS B, IEC 61000-4-2:2008, IEC 61000-4-2:2008, IEC 61000-4-3:2020, IEC 61000-4-4:2012, IEC 61000-4-5:2014+A1:2017, IEC 61000-4-6:2013, IEC 61000-4-8:2009, IEC 61000-4-11:2004+A1:2017, EN 301 489-1 V2.2.3, EN 301 489-17 V3.2.4, FCC CFR 47 PART 15, ICES-003, ISSUE 7
Maximum duty cycle *	1000 pages per month		
Duplex functions *	Print		
Number of print cartridges *	2		
Printing colours *	Black, Cyan, Magenta, Yellow		
Page description languages	URF, PCLm, PCL 3 GUI		
All-In-One-multitasking	✓		
Country of origin	China	Sustainability compliance	✓
Replacement cartridges	HP 305 Black Original Ink Cartridge (~120 pages yield); 3YM62AE HP 305XL Black High-Yield Original Ink Cartridge (~240 pages yield); 3YM60AE HP 305 Tri-Colour Original Ink Cartridge (~100 pages yield); 3YM63AE HP 305XL Tri-Colour High-Yield Original Ink Cartridge (~200 pages yield). Actual yield varies considerably based on content of printed pages and other factors. For details see http://www.hp.com/go/learnaboutsupplies		Sustainability certificates
HP segment	Home	Carbon footprint	
Input & output capacity		Total carbon footprint (kg of CO2e)	40
Total number of input trays *	1	Carbon emissions, manufacturing (kg of CO2e)	34
Total input capacity *	60 sheets	Carbon emissions, logistics (kg of CO2e)	2
Total output capacity *	25 sheets	Carbon emissions, end-of-life (kg of CO2e)	3
Auto document feeder (ADF)	✗	Total carbon emissions, w/o use phase (kg of CO2e)	4
Maximum number of input trays	1	Weight & dimensions	
Maximum input capacity	60 sheets	Width	425 mm
Maximum output capacity	25 sheets	Depth	304 mm
Paper handling		Height	154 mm
Maximum ISO A-series paper size *	A4	Weight	3.42 kg
Maximum print size	209.9 x 349.6 mm	Packaging data	
Paper tray media types *	Envelopes, Photo paper, Plain paper	Package width	475 mm
ISO A-series sizes (A0...A9) *	A4, A6	Package depth	191 mm
ISO B-series sizes (B0...B9)	B5	Package height	354 mm
Envelopes sizes	B5, DL	Package weight	4.58 kg
Paper tray media weight	60 - 300 g/m ²	Packaging content	
Ports & interfaces		Cartridge(s) included	✓
Direct printing *	✗	Included cartridge capacity (black)	100 pages
USB port	✓	Included cartridge capacity (CMY)	50 pages
USB 2.0 ports quantity	1	Cables included	AC
Optional connectivity	Bluetooth, Wireless LAN	Bundled software	HP Printer Software, available online
Network		Logistics data	
Wi-Fi *	✓	Harmonized System (HS) code	8443310000
Ethernet LAN *	✗	Pallet gross weight	351 g
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)	Layers per pallet	6 pc(s)
Bluetooth	✓	Products per pallet	72 pc(s)
Mobile printing technologies	Apple AirPrint, Mopria Print Service	Technical details	
Performance		Master (outer) cases per pallet layer 12 pcs(s) General Product Safety Regulation https://support.hp.com/gb-en/product/setup-user-guides/hp-deskjet-2800e-all-in-one-printer-series/model/210137278?sku=588K9B (GPSR) URL	
Maximum internal memory	64 MB	Other features	
Internal memory *	64 MB	Number of users	3 user(s)
		Pallet dimensions (W x D x H)	1200 x 1000 x 2261 mm
		Recommended system requirements	Windows 10, 11, : 1 GHz 32-bit (x86) or 64-bit (x64) processor, 2 GB available hard disk space, Internet connection, Internet Explorer.
		Number of print heads	2



0196337380035



196337380035



0196337380042



196337380042



0196337380028




196337380028



5715063395066



5715063395059



5715063395042

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.