



ROCCAT ELO 7.1 Headset Ledningsført Spil Sort

Mærke : ROCCAT

Produktkode: ROC-14-130-02

Produkt navn : ELO 7.1

ROCCAT ELO 7.1. Produkttype: Headset. Forbindelsesteknologi: Ledningsført. Anbefalet brug: Spil. Hovedtelefon frekvens: 20 - 20000 Hz. Kabellængde: 2,5 m. Vægt: 585,1 g. Produktfarve: Sort



Præstation		Mikrofon			
Produkttype *	Headset	Støjreducerende mikrofon	✓		
Bæremåde *	Headset	Mikrofon mute	✓		
Anbefalet brug *	Spil	Systemkrav			
Headset type	Binaural	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IoT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 11, Windows 11 x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64			
Produktfarve *	Sort				
Volumenkontrol	Dreje				
Kontrolenhedstype	On-ear control unit				
Kontroltype	Knapper, Dreje				
Kabellængde	2,5 m				
Kabelfarve	Sort				
Baggrundslys	✓				
Baggrundsfarve	Flerfarvet				
Virtuel surround	✓				
Virtuel surround-teknologi	Virtual 7.1 surround sound				
Porte & Grænseflader				Understøttede Windows-operativsystemer	
Forbindelsesteknologi *	Ledningsført				
3,5 mm stik	✗				
USB-tilslutning	✓				
Bluetooth	✗				
Høretelefoner		Vægt & størrelser			
Ørekobling *	Circumaural	Bredde	240 mm		
Hovedtelefon frekvens	20 - 20000 Hz	Dybde	78 mm		
Magnet-type	Neodym	Højde	246 mm		
Driverenhed	5 cm	Vægt	585,1 g		
Mikrofon		Emballeringsdata			
Mikrofontype *	Boom	Pakketype	Kasse		
Mikrofonretningstype	Envejs	Emballage indhold			
Aftagelige mikrofon	✓	Hurtig start guide			
Antal mikrofoner	1	✓			

Emballage indhold

Antal	1
-------	---

Logistik data

Hovedkasser pr. palle (udvendigt)	240 stk
Hovedkassens bredde (udvendigt)	330 mm
Hovedkassens længde (udvendigt)	252 mm
Hovedkassens højde (udvendigt)	263 mm
Hovedkassens bruttovægt (udvendigt)	3,12 kg
Produkter pr. hovedkasse (udvendigt)	4 stk

Leverandørfunktioner

Materiale	Skum, Kunstlæder
-----------	------------------



0731855541317



731855541317

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 16-OCT-2024. Prints or copies of Information are only valid on the printed Publication date