



TP-Link Archer T2U WLAN 600 Mbit/s

Mærke : TP-Link

Produktkode: ARCHER T2U V2

Produktnavn : Archer T2U

TP-Link Archer T2U. Forbindelsesteknologi: Trådløs, Værtsgrænseflade: USB, Grænseflade: WLAN.
Maksimal dataoverførselshastighed: 600 Mbit/s, Bedste Wi-Fi standard: Wi-Fi 5 (802.11ac), Wi-Fi-bånd:
Dual-band (2,4 GHz / 5 GHz). Produktfarve: Sort



Porte & Grænseflader		Design	
Forbindelsesteknologi *	Trådløs	Certificering	CE, FCC
Værtsgrænseflade *	USB	Systemkrav	
Grænseflade *	WLAN	Optisk drev påkrævet	✓
USB version	2.0	Understøttede Windows-operativsystemer	Windows 10, Windows 7, Windows 8, Windows 8.1, Windows XP
Netværk		Understøttede Mac-operativsystemer	macOS
Maksimal dataoverførselshastighed *	600 Mbit/s	Understøttede Linux-operativsystemer	✓
Netværksstandarder *	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, IEEE 802.3ac	Driftsbetingelser	
Wi-Fi	✓	Driftstemperatur (T-T)	0 - 40 °C
Wi-Fi-bånd	Dual-band (2,4 GHz / 5 GHz)	Opbevaringstemperatur (T-T)	-40 - 70 °C
Frekvensområde	2,4 - 5 GHz	Relativ luftfugtighed ved drift (H-H)	10 - 90%
Bedste Wi-Fi standard	Wi-Fi 5 (802.11ac)	Relativ luftfugtighed ved opbevaring (H-H)	5 - 90%
Wi-Fi-standarder	802.11a, Wi-Fi 5 (802.11ac), 802.11b, 802.11g, Wi-Fi 4 (802.11n)	Vægt & størrelser	
Understøttede WLAN-dataoverførselshastigheder	11,54,150,433,600 Mbit/s	Bredde	40,5 mm
Modulation	16-QAM, 256-QAM, 64-QAM, CCK, DBPSK, DQPSK, OFDM	Dybde	19,7 mm
Sikkerhedsalgoritmer	128-bit WEP, 64-bit WEP, 802.1x RADIUS, WPA, WPA2, WPA2-AES, WPA2-PSK, WPA2-TKIP, WPS	Højde	10,3 mm
Design		Emballeringsdata	
Komponent til *	PC/Laptop	Antal	1
Produktfarve	Sort	Pakkebredde	138 mm
Intern *	✗	Pakkedybde	128 mm
Antenne	✓	Pakkehøjde	30 mm
Antennedesign	Intern	Pakkevægt	90 g
		Tekniske detaljer	
		Compliance-certifikater	RoHS

Design		Logistik data	
LED-indikatorer	Status	Harmoniseret systemkode (HS)	85176990
	5GHz □ 11a 6Mbps: -94dBm 11a 54Mbps: -78dBm 11n HT20 MCS0: -94dBm 11n HT20 MCS7: -77dBm 11n HT40 MCS0: -92dBm 11n HT40 MCS7: -74dBm 11ac VHT80 MCS0: -89dBm 11ac VHT80 MCS9: -64dBm 2.4GHz: 11b 1Mbps: -99dBm 11b 11Mbps: -91dBm 11g 6Mbps: -94dBm 11g 54Mbps: -77dBm 11n HT20 MCS0: -95dBm 11n HT20 MCS7: -76dBm 11n HT40 MCS0: -92dBm 11n HT40 MCS7: -73dBm	Andre funktioner	
Modtager, følsomhed		Hurtig start guide	✓



6935364050856



6935364080099



8944467768825

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.