



## SHANTOU MIN SHENG PLASTICS CO., LTD.

**Technical Report:** (8822)131-0131  
Date Received: May 11, 2022

May 25, 2022  
Page 1 of 12

SHANTOU MIN SHENG PLASTICS CO., LTD.  
NO. 37 ANPING LANE, DA HAO HAO JIANG,  
SHANTOU, GUANG DONG, CHINA

Sample Description:	DIY BEADS KIT	Sample Size:	3
Vendor:	SHANTOU MIN SHENG PLASTICS CO., LTD.	Style No(s):	B044-8
Manufacturer:	SHANTOU MIN SHENG PLASTICS CO., LTD.	SKN/SKU No.:	NOT PROVIDE
Labeled Age Grade:	5+	PO No.:	NOT PROVIDE
Appropriate Age Grade:	NOT REQUESTED	Ref #:	NOT PROVIDE
Client Specified Age Grade:	5+	Country of Origin:	CHINA
Tested Age Grade:	OVER 5 YEARS OF AGE	Assortment No.:	NOT PROVIDE
UPC Code:	N/A	Further Information Date:	MAY 18, 2022
Country of Destination :	EUROUP	Test Finished Date:	MAY 25, 2022
Test Starting Date:	MAY 11, 2022		

### EXECUTIVE SUMMARY:

Test Requested	Conclusion
Mechanical and physical properties requirements of the tested subclauses of the European Standard, "Safety of toys", EN71: Part 1:2014+A1:2018 clauses 1-7.	PASS
Labeling requirements of "CE marking, manufacturer/ Importer name and address, and product identification" under "Directive 2009/48/EC Safety of Toy".	PASS
Flammability requirements of the European Standard "Safety of Toys", EN 71: Part 2: 2020.	PASS
Migration of Certain Elements in Category III - Scraped off toy material requirements of the European Standard, "Safety of toys", EN 71-3:2019+A1:2021.	PASS

To be continued

BUREAU VERITAS SHENZHEN CO.,LTD  
DONGGUAN BRANCH

BUREAU VERITAS SHENZHEN CO.,LTD  
DONGGUAN BRANCH

Harvey Xue  
Manager, Analytical Lab



Rose Ge  
Supervisor, Toys Lab

RT/LY

### REMARK

If there are questions or concerns on this report, please contact the following persons:

Report Enquiry: (86) 0769 89952999 Ext. 8175 CPSAnalytical.DG@bureauveritas.com

Business Contact: (86) 0769 85893595

*This report shall not be reproduced except in full, without the written approval of our laboratory.*

Bureau Veritas Shenzhen Co., Ltd., Dongguan Branch  
No.96, Houjie, Guantai Road., Houjie,  
Dongguan,Guangdong, China  
Tel: +86-769-89982098  
Fax: +86-769-85991080  
[www.cps.bureauveritas.com](http://www.cps.bureauveritas.com)

This report is governed by, and incorporates by reference, the Conditions of Testing as posted at the date of issuance of this report at <http://www.bureauveritas.com/home/about-us/our-business/cps/about-us/terms-conditions/> and is intended for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. Measurement uncertainty is only provided upon request for accredited tests. Statements of conformity are based on simple acceptance criteria without taking measurement uncertainty into account, unless otherwise requested in writing. You have 60 days from date of issuance of this report to notify us of any material error or omission caused by our negligence or if you require measurement uncertainty; provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.



SHANTOU MIN SHENG PLASTICS CO., LTD.

Technical Report: **(8822)131-0131**

May 25, 2022

Page 2 of 12

**EXECUTIVE SUMMARY:**

Note: At the request of the client, the sample(s) was evaluated for use by children 5+.

Note: The manufacturer / importer information was present on the packaging only. It has to be noted that, or according to TSD 2009/48/EC, the manufacturers/ importer shall indicate their name, registered trade name registered trade mark and the address at which they can be contacted on the toy, or, where that is not possible, on its packaging or in a document accompanying the toy.”

Note: The product identification is present on the packaging only. It has to be noted that, According to TSD 2009/48/EC, manufacturers shall ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or, where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.

**Tested Component(s) Description List:**

Test Item(s)	Item / Component Description(s)	Location(s)	Style(s)
I001	Transparent plastic box	-	-
I002	Pink plastic	-	-
I003	Purple transparent plastic	-	-
I004	Sky-blue plastic	-	-
I005	Orange transparent plastic	-	-
I006	Green plastic	-	-
I007	Red transparent plastic	-	-
I008	Yellow plastic	-	-
I009	White coated plastic	-	-
I010	Dark green transparent plastic	-	-
I011	Purple plastic	-	-
I012	Blue plastic	-	-
I013	Green transparent plastic	-	-
I014	Pink elastic band	-	-



**RESULTS:**

**APPROPRIATE AGE GRADE DETERMINATION**

<p>The Appropriate Age Grade is determined with reference to the EN71 : Part 1 : 2014+A1:2018,          CEN ISO/TR 8124-8:2016 Safety of toys - Part 8: Age determination guidelines prepared by Technical Committee          CEN/TC 52 and          Age Grade Determination Guidelines of the Consumer Product Safety Commission (CPSC).</p>	
Note :	The most stringent age grade from the Labeled Age Grade and the Appropriate Age Grade will be used for testing.
Note :	If the client does not specify an age grade for testing or request Bureau Veritas Consumer Products Services, Inc. to determine an appropriate age grade, the labeled age grade will be used for testing.

**EXPLANATION OF THE ABBREVIATIONS FOR PART 1, 2 & 6**

Symbol	Explanation				
NM	The sample(s) DOES NOT MEET the requirement of this Subclause				
M	The sample(s) MEET the requirement of this Subclause				
N/A	Not Applicable				
NR	Not Requested				
NE	Not Evaluated				
NP	None Present				
NT	Not Tested				
P	Present				
R	Refer to Comment Section of this report				
Symbol	Language Present	Symbol	Language Present	Symbol	Language Present
B	Belgian language	G	German language	PR	Portuguese language
D	Danish language	GR	Greek language	S	Spanish language
E	English language	H	Dutch language	SD	Swedish language
F	Finnish language	I	Italian language	SZ	Swiss language
FR	French language	N	Norwegian language		



SHANTOU MIN SHENG PLASTICS CO., LTD.

Technical Report: **(8822)131-0131**

May 25, 2022

Page 4 of 12

**RESULTS:**

**MECHANICAL & PHYSICAL PROPERTIES  
(EN 71: PART 1 – 2014+A1 – 2018)**

Subclause	Requirement	Result
4.1	Material cleanliness	M
4.2	Assembly	NA
4.3	Flexible plastic sheeting	NA
4.4	Toy Bags	NA
4.5	Glass	NA
4.6	Expanding materials	NA
4.7 & 7.6	Edges	M
4.8 & 7.6	Points and metallic wires	M
4.8e	Splinters	M
4.9	Protruding parts	NA
4.10.1	Folding and sliding mechanisms	NA
4.10.2	Driving mechanisms	NA
4.10.3	Hinges	NA
4.10.4	Springs	NA
4.11	Mouth actuated toys and other toys intended to be put in the mouth	NA
4.12 & 7.3	Balloons	NA
4.13 & 7.9	Cord of toy kites and other flying toys	NA
4.14.1	Toys which a child can enter	NA
4.14.2 & 7.8	Masks and helmets	NA
4.15.1	Toys propelled by child	
4.15.1.2 & 7.10.1 & 7.10.2 & 7.10.3 & 7.10.4 & 7.16	Toys propelled by child – Instructions for use	NA
4.15.1.3	Toys propelled by child – Strength	NA
4.15.1.4	Toys propelled by child – Stability	NA
4.15.1.5	Toys propelled by child – Braking	NA
4.15.1.6	Toys propelled by child - Transmission	NA
4.15.1.7	Toys propelled by child – insertion mark	NA
4.15.1.8	Electrically-driven ride-on toys	NA
4.15.2	Toy bicycles	
4.15.2.2 & 7.15	Toy bicycles – Warnings and instructions for use	NA
4.15.2.3	Toy bicycles – Braking	NA
4.15.3 & 7.16 & 7.19	Rocking horses and similar toys	NA
4.15.4 & 7.16	Toys not propelled by child	NA
4.15.5 & 7.18	Toy scooters	NA



SHANTOU MIN SHENG PLASTICS CO., LTD.

Technical Report: **(8822)131-0131**

May 25, 2022

Page 5 of 12

**RESULTS:**

Subclause	Requirement	Result
4.16	Heavy immobile toys	NA
4.17.2	All projectiles	NA
4.17.3 & 7.7	Projectile toys with stored energy	NA
4.17.4 & 7.26	Certain projectile toys without stored energy	NA
4.18 & 7.4	Aquatic toys and inflatable toys	NA
4.19 & 7.13 & 7.14	Percussion caps	NA
4.20.2.1- 4.20.2.4, 4.20.2.6-4.20.2.12 & 7.14	Acoustics	NA
*4.20.2.5	Acoustics– Toys using headphones or earphones	NA
4.21	Toys containing a non-electrical heat source	NA
4.22 & 7.2	Small balls	NA
4.23	Magnet	
4.23.2 a, b & c	Toy other than magnetic / electrical experimental sets intended for children over 8 years	NA
4.23.3 & 7.20	Magnetic / electrical experimental sets intended for children over 8 years	NA
4.24	Yo-yo ball	NA
4.25	Toys attached to food	NA
4.26	Toy Disguise Costumes	NA
4.27.1	Flying toys – General	NA
4.27.2 & 7.25.1	Rotors and propellers on flying toys	NA
4.27.3 & 7.25.2	Rotors and propellers on remote controlled flying toys	NA
<b>FOR TOYS INTENDED FOR CHILDREN UNDER 36 MONTHS</b>		
5.1	General	NA
5.1a	Small parts – as received	NA
5.1b	Small parts, sharp points, sharp edges – after tests	NA
5.1c	Cross section <2mm metal points & wires	NA
5.1e	Toys contain glue	NA
5.1f	Casing of toys	NA
5.2	Fillings, coverings and seams	NA
5.3	Adhesion of plastic sheeting	NA
5.4.2	Cords and chains in toys intended for children under 18 months	NA



**RESULTS:**

Subclause	Requirement	Result
5.4.3 & 7.22	Cords and chains in toys intended for children of 18 months or over but under 36 months	NA
5.4.4	Fixed loops, tangled loops and nooses	NA
5.4.5	Cords and chains on pull along toys	NA
5.4.6 & 7.21	Electrical cables	NA
5.4.7	Cross-sectional dimension of certain cords	NA
5.4.8	Self-retracting cords	NA
5.4.9 & 7.11 & 7.23	Toys attached to or intended to be strung across a cradle, cot or perambulator	NA
5.5 & 7.12	Liquid filled toys	NA
5.6	Electrically driven toys	NA
5.7	Glass and porcelain	NA
5.8	Shape and size	NA
5.9 & 7.17	Monofilament fibres	NA
5.10	Small balls	NA
5.11	Play figures	NA
5.12	Hemispheric shaped toys	NA
5.13	Suction cups	NA
5.14	Straps intended to be worn fully or partially around the neck	NA
5.15 & 7.24	Sledges with cords for pulling	NA
6	Packaging	NA
<b>WARNINGS, INSTRUCTIONS FOR USE</b>		
7.1	General	M
7.2	Toys not intended for children under 36 months	M
7.5	Functional toys	NA

**2009/48/EC General Labeling Requirement**

Requirement	Result
CE Mark	M
Manufacturer/ Importer name and address	M
Product Identification	M

*M = Meet NM = Not Meet N/A = Not Applicable R = Refer to Comment Section NT=Not Test*



SHANTOU MIN SHENG PLASTICS CO., LTD.

Technical Report: **(8822)131-0131**

May 25, 2022

Page 7 of 12

**RESULTS:**

**REQUIREMENTS & TEST METHODS CROSS REFERENCE TABLE FOR PART 1**

Sub-clause	Test Method	Sub-clause	Test Method	Sub-clause	Test Method	Sub-clause	Test Method
4.3	8.25.1	4.15.1.5	8.26.1	4.22	8.3, 8.4.2.1, 8.5, 8.6, 8.7, 8.8, 8.32	5.4.5	8.40
4.5	8.5, 8.7, 8.11, 8.12	4.15.1.8	8.29	4.23	8.2, 8.3, 8.4.2.1, 8.4.2.2, 8.5, 8.6, 8.7, 8.8, 8.34, 8.35	5.4.6	8.40
4.6	8.2, 8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.14	4.15.2.4	8.26.2	4.24	8.37	5.4.7	8.20
4.7	8.11	4.15.3	8.21, 8.23.1	4.25	8.2, 8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.32.1	5.7.8	8.39
4.8	8.12, 8.13	4.15.4	8.21, 8.23.1	4.26	8.38	5.5	8.15
4.9	8.4.2.3, 8.11, 8.12	4.15.5	8.11, 8.12, 8.21, 8.22, 8.26.3, 8.27	4.27.1	8.43	5.6	8.29
4.10.1	8.18.2, 8.18.3	4.16	8.23.2	4.27.2	8.4.2.6	5.8	8.16
4.10.2	8.5, 8.6, 8.7, 8.11, 8.12	4.17.1	8.3, 8.4.2.1, 8.7, 8.8, 8.42	4.27.3	8.4.2.6	5.10	8.3, 8.4.2.1, 8.5, 8.6, 8.7, 8.8, 8.9, 8.32
4.11	8.2, 8.3, 8.4.2.1, 8.9, 8.17	4.17.2	8.3, 8.4.2.4, 8.7, 8.8, 8.32.1, 8.43, 8.44	5.1	8.2, 8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.9, 8.11, 8.12	5.11	8.33
4.13	8.19	4.17.3	8.3, 8.4.2.3, 8.4.2.5, 8.11, 8.12, 8.24, 8.42	5.3	8.4.2.1, 8.25	5.12	8.3, 8.4.2.1, 8.5, 8.6, 8.7, 8.8, 8.9,
4.14.1	8.31.1, 8.31.2	4.17.4	8.3, 8.4.2.3, 8.4.2.5, 8.11, 8.12, 8.24, 8.42	5.4.1	8.40	5.13	8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.32
4.14.2	8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.11, 8.12	4.18	8.2, 8.3, 8.4.2.1	5.4.2	8.38, 8.40, 8.41	5.14	8.38
4.15.1.3	8.11, 8.12, 8.21, 8.22	4.20	8.28	5.4.3	8.38, 8.40, 8.41	6	8.3, 8.4.2.1, 8.25.1, 8.32.1
4.15.1.4	8.23.1	4.21	8.30	5.4.4	8.36, 8.38		



**RESULTS:**

**FLAMMABILITY (EN 71 PART 2: 2020)**

Subclause	Requirement	Result
4.1	Cellulose nitrate	NP
4.1	Highly flammable solids	NP
4.1	Surface flash on a piled surface	NA
*4.1	Flammable gases	NA
*4.1	Extremely flammable liquids, highly flammable liquids, flammable liquids and flammable gels	NA
4.2	Toys to be worn on the head	NA
4.3	Toy disguise costumes and toys intended to be worn by child in play	NA
4.3	warning on product and packaging (10 - 30 mm/s)	NA
4.4	Toys intended to be entered by child	NA
4.4	warning on product and packaging (10 – 30 mm/s)	NA
4.5	Soft-filled toys	NA

**REQUIREMENTS & TEST METHODS CROSS REFERENCE TABLE FOR PART 2**

Sub-clause	Test Method	Sub-clause	Test Method	Sub-clause	Test Method	Sub-clause	Test Method
4.2.2	5.2	4.2.4	5.3	4.3	5.4	4.5	5.5
4.2.3	5.3	4.2.5	5.4	4.4	5.4	-	-

\* Note: Subclause indicated with \* are not accredited.

*M = Meet    NM = Not Meet    N/A = Not Applicable    R = Refer to Comment Section*  
*P = Present    NP = Not Present*





**RESULTS:**

**Migration of Certain Elements, EN 71-3:2019+A1:2021^**

Test Method: European Standard EN 71-3:2019+A1:2021 Section 8.

Class: Category III - Scraped off toy material

Analyte	Requirement (mg/kg)	Result (mg/kg)				
		Test Item(s)				
	Category III	I001	I002	I003	I004	I005
Aluminium (Al)	28130	ND	ND	ND	ND	ND
Arsenic (As)	47	ND	ND	ND	ND	ND
Boron (B)	15000	ND	ND	ND	ND	ND
Barium (Ba)	18750	ND	ND	ND	ND	ND
Cadmium (Cd)	17	ND	ND	ND	ND	ND
Cobalt (Co)	130	ND	ND	ND	ND	ND
Chromium III (Cr III)	460	ND	ND	ND	ND	ND
Chromium VI (Cr VI)	0.053	ND	ND	ND	ND	ND
Copper (Cu)	7700	ND	ND	ND	ND	ND
Mercury (Hg)	94	ND	ND	ND	ND	ND
Manganese (Mn)	15000	ND	ND	ND	ND	ND
Nickel (Ni)	930	ND	ND	ND	ND	ND
Lead (Pb)	23	ND	ND	ND	ND	ND
Antimony (Sb)	560	ND	ND	ND	ND	ND
Selenium (Se)	460	ND	ND	ND	ND	ND
Tin (Sn)	180000	ND	ND	ND	ND	ND
Organic tin	12	ND	ND	ND	ND	ND
Strontium (Sr)	56000	ND	ND	ND	ND	ND
Zinc (Zn)	46000	ND	ND	ND	ND	ND
Mass of trace amount (gram)		-	-	-	-	-
Conclusion		PASS	PASS	PASS	PASS	PASS



SHANTOU MIN SHENG PLASTICS CO., LTD.

Technical Report: **(8822)131-0131**

May 25, 2022

Page 10 of 12

**RESULTS:**

Analyte	Requirement (mg/kg)	Result (mg/kg)				
		Test Item(s)				
	Category III	I006	I007	I008	I009	I010
Aluminium (Al)	28130	ND	ND	ND	ND	ND
Arsenic (As)	47	ND	ND	ND	ND	ND
Boron (B)	15000	ND	ND	ND	ND	ND
Barium (Ba)	18750	ND	ND	ND	ND	ND
Cadmium (Cd)	17	ND	ND	ND	ND	ND
Cobalt (Co)	130	ND	ND	ND	ND	ND
Chromium III (Cr III)	460	ND	ND	ND	ND	ND
Chromium VI (Cr VI)	0.053	ND	ND	ND	ND	ND
Copper (Cu)	7700	ND	ND	ND	ND	ND
Mercury (Hg)	94	ND	ND	ND	ND	ND
Manganese (Mn)	15000	ND	ND	ND	ND	ND
Nickel (Ni)	930	ND	ND	ND	ND	ND
Lead (Pb)	23	ND	ND	ND	ND	ND
Antimony (Sb)	560	ND	ND	ND	ND	ND
Selenium (Se)	460	ND	ND	ND	ND	ND
Tin (Sn)	180000	ND	ND	ND	ND	ND
Organic tin	12	ND	ND	ND	ND	ND
Strontium (Sr)	56000	ND	ND	ND	ND	ND
Zinc (Zn)	46000	ND	ND	ND	ND	ND
Mass of trace amount (gram)		-	-	-	-	-
Conclusion		PASS	PASS	PASS	PASS	PASS



SHANTOU MIN SHENG PLASTICS CO., LTD.  
 Technical Report: **(8822)131-0131**

May 25, 2022

Page 11 of 12

**RESULTS:**

Analyte	Requirement (mg/kg)	Result (mg/kg)				
		Test Item(s)				
	Category III	I011	I012	I013	I014	-
Aluminium (Al)	28130	ND	ND	ND	ND	-
Arsenic (As)	47	ND	ND	ND	ND	-
Boron (B)	15000	ND	ND	ND	ND	-
Barium (Ba)	18750	ND	ND	ND	ND	-
Cadmium (Cd)	17	ND	ND	ND	ND	-
Cobalt (Co)	130	ND	ND	ND	ND	-
Chromium III (Cr III)	460	ND	ND	ND	ND	-
Chromium VI (Cr VI)	0.053	ND	ND	ND	ND	-
Copper (Cu)	7700	ND	ND	ND	ND	-
Mercury (Hg)	94	ND	ND	ND	ND	-
Manganese (Mn)	15000	ND	ND	ND	ND	-
Nickel (Ni)	930	ND	ND	ND	ND	-
Lead (Pb)	23	ND	ND	ND	ND	-
Antimony (Sb)	560	ND	ND	ND	ND	-
Selenium (Se)	460	ND	ND	ND	ND	-
Tin (Sn)	180000	ND	ND	ND	ND	-
Organic tin	12	ND	ND	ND	ND	-
Strontium (Sr)	56000	ND	ND	ND	ND	-
Zinc (Zn)	46000	ND	ND	ND	1180	-
Mass of trace amount (gram)		-	-	-	-	-
Conclusion		PASS	PASS	PASS	PASS	-

mg/kg = milligrams per kilogram (ppm=parts per million)

Organic tin = migration of total organic tin is expressed as tributyltin cation content in mg/kg

# = Verified results (see note)

ND = Not detected

Detection Limit ( mg/kg ) :

Category III - Al : 2 ; Sb : 2 ; As : 2 ; Ba : 2 ; B : 2 ; Cd : 2 ; Cr III : 0.15 ; Cr VI : 0.025 ; Co : 2 ; Cu : 2 ; Pb : 2 ; Mn : 2 ; Hg : 2 ; Ni : 2 ; Se : 2 ; Sr : 2 ; Sn : 2 ; Organic tin : 2 ; Zn : 2

**Remark:**

- Results of Cr III and Cr VI were reported as sum of soluble Chromium content unless specified.
- Result(s) of organic tin was (were) calculated while assuming the tin content wholly contributed from tributyltin cation unless specified.
- The pH measured shall be reported after migration if it was outside the range of 1.1 to 1.3.
- "^"The above result was performed at a Bureau Veritas CPS approved subcontract lab.

**Note:**

If soluble chromium content or soluble tin content exceeded the screening limits of soluble chromium (VI) or organic tin content, the results were verified by below method

- Chromium VI: EN 71-3:2019+A1:2021, Annex F by Ion-chromatography with ICP-MS detector analysis.
- Organic tin: EN 71-3:2019+A1:2021, Annex G by Gas Chromatography-Mass Spectroscopy analysis.



**BUREAU  
VERITAS**

SHANTOU MIN SHENG PLASTICS CO., LTD.

Technical Report: **(8822)131-0131**

May 25, 2022

Page 12 of 12

**RESULTS:**



END OF REPORT