

# SAFETY DATA SHEET

## Monday Dry Shampoo

This SDS is not mandated under the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577 and is provided for information only.

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

**Product name** Monday Dry Shampoo  
**Internal identification** DN210579C

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Uses advised against** Use only for intended applications.

#### 1.3. Details of the supplier of the safety data sheet

**Supplier** REABROOK PRIVATE LABEL  
RAWDON ROAD,  
MOIRA,  
SWADLINCOTE,  
DERBYSHIRE,  
DE12 6DA.  
+44 (0) 1283 222266  
+44 (0) 1283 550963  
enquiries@reabrook.co.uk

#### 1.4. Emergency telephone number

**Emergency telephone** +44 (0) 777 8505 330 (24 hrs).

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification (SI 2019 No. 720)

**Physical hazards** Aerosol 1 - H222, H229  
**Health hazards** Not Classified  
**Environmental hazards** Not Classified

#### 2.2. Label elements

##### Hazard pictograms



**Signal word** Danger

**Hazard statements** H222 Extremely flammable aerosol.  
H229 Pressurised container: may burst if heated.

**Precautionary statements** P102 Keep out of reach of children.  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P211 Do not spray on an open flame or other ignition source.  
P251 Do not pierce or burn, even after use.  
P261 Avoid breathing vapour/ spray.  
P271 Use only outdoors or in a well-ventilated area.  
P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.  
P501 Dispose of contents/ container in accordance with local regulations.

## Monday Dry Shampoo

### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

<b>Petroleum gases, liquefied</b>	<b>60-100%</b>
CAS number: 68476-85-7	EC number: 270-704-2

#### Classification

Flam. Gas 1A - H220

Press. Gas (Liq.) - H280

<b>ethanol</b>	<b>5-10%</b>
CAS number: 64-17-5	EC number: 200-578-6

#### Classification

Flam. Liq. 2 - H225

<b>Diethyl phthalate</b>	<b>&lt;1%</b>
CAS number: 84-66-2	EC number: 201-550-6

#### Classification

Not Classified

<b>CETRIMONIUM CHLORIDE</b>	<b>&lt;1%</b>
CAS number: 112-02-7	EC number: 203-928-6
M factor (Acute) = 10	M factor (Chronic) = 1

#### Classification

Acute Tox. 4 - H302

Skin Corr. 1B - H314

Eye Dam. 1 - H318

Aquatic Acute 1 - H400

Aquatic Chronic 1 - H410

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

<b>General information</b>	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. If medical advice is needed, have product container or label at hand. Show this Safety Data Sheet to the medical personnel.
<b>Inhalation</b>	Remove person to fresh air and keep comfortable for breathing.
<b>Ingestion</b>	Rinse mouth thoroughly with water. Do not induce vomiting. Get medical attention.
<b>Skin contact</b>	Wash skin thoroughly with soap and water.
<b>Eye contact</b>	Rinse with water. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if any discomfort continues.

## Monday Dry Shampoo

### 4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Vapours may cause headache, fatigue, dizziness and nausea.
Ingestion	Gastrointestinal symptoms, including upset stomach.
Skin contact	Prolonged contact may cause dryness of the skin.
Eye contact	May cause discomfort.

### 4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	Treat symptomatically.
----------------------	------------------------

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	Extinguish with foam, carbon dioxide or dry powder.
------------------------------	---

### 5.2. Special hazards arising from the substance or mixture

Specific hazards	Extremely flammable aerosol. Pressurised container: may burst if heated
Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Carbon monoxide (CO). Carbon dioxide (CO <sub>2</sub> ).

### 5.3. Advice for firefighters

Protective actions during firefighting	Use water to keep fire exposed containers cool and disperse vapours.
--	--

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. Ensure procedures and training for emergency decontamination and disposal are in place. No action shall be taken without appropriate training or involving any personal risk. Keep unnecessary and unprotected personnel away from the spillage. No smoking, sparks, flames or other sources of ignition near spillage. Do not touch or walk into spilled material. Avoid contact with skin, eyes and clothing. Avoid inhalation of vapours. Provide adequate ventilation. Take precautionary measures against static discharges. Take care as floors and other surfaces may become slippery. Avoid contact with contaminated tools and objects. Do not handle broken packages without protective equipment. If aerosol cans are ruptured, care should be taken due to the rapid escape of the pressurised contents and propellant. Wash thoroughly after dealing with a spillage.
----------------------	---

### 6.2. Environmental precautions

Environmental precautions	Do not discharge into drains or watercourses or onto the ground.
---------------------------	--

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up	Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. Provide adequate ventilation. Eliminate all sources of ignition. Absorb spillage with non-combustible, absorbent material. No smoking, sparks, flames or other sources of ignition near spillage. Collect and place in suitable waste disposal containers and seal securely. Containers with collected spillage must be properly labelled with correct contents and hazard symbol. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage.
-------------------------	--

### 6.4. Reference to other sections

Reference to other sections	Wear protective clothing as described in Section 8 of this safety data sheet.
-----------------------------	---

## Monday Dry Shampoo

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

##### Usage precautions

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid contact with eyes. Eliminate all sources of ignition. Use only outdoors or in a well-ventilated area. Provide adequate ventilation. Avoid breathing vapour/spray. Keep out of the reach of children. Do not expose to temperatures exceeding 50°C/122°F. Do not pierce or burn, even after use. Do not eat, drink or smoke when using this product. Avoid contact with contaminated tools and objects. Do not handle broken packages without protective equipment. Do not spray on an open flame or other ignition source. Wash skin thoroughly after handling.

#### 7.2. Conditions for safe storage, including any incompatibilities

##### Storage precautions

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Store at temperatures between 4°C and 40°C. Do not expose to temperatures exceeding 50°C/122°F. Store in a well-ventilated place.

##### Storage class

Flammable compressed gas storage.

#### 7.3. Specific end use(s)

##### Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

### SECTION 8: Exposure controls/Personal protection

#### 8.1. Control parameters

##### Occupational exposure limits

##### Petroleum gases, liquefied

Long-term exposure limit (8-hour TWA): WEL 1000 ppm 1750 mg/m<sup>3</sup>

Short-term exposure limit (15-minute): WEL 1250 ppm 2180 mg/m<sup>3</sup>

##### ethanol

Long-term exposure limit (8-hour TWA): WEL 1000 ppm 1920 mg/m<sup>3</sup>

##### Diethyl phthalate

Long-term exposure limit (8-hour TWA): WEL 5 mg/m<sup>3</sup>

Short-term exposure limit (15-minute): WEL 10 mg/m<sup>3</sup>

WEL = Workplace Exposure Limit.

##### ethanol (CAS: 64-17-5)

##### DNEL

Workers - Inhalation; Short term : 1900 mg/m<sup>3</sup>

Workers - Dermal; Long term systemic effects: 343 mg/kg/day

Workers - Inhalation; Long term : 950 mg/m<sup>3</sup>

Consumer - Inhalation; Short term : 950 mg/m<sup>3</sup>

Consumer - Dermal; Long term systemic effects: 206 mg/kg/day

Consumer - Inhalation; Long term : 114 mg/m<sup>3</sup>

Consumer - Oral; Long term systemic effects: 87 mg/kg/day

##### PNEC

- Fresh water; 0.96 mg/l

- marine water; 0.79 mg/l

- Soil; 0.63 mg/kg

- STP; 580 mg/l

- Sediment (Freshwater); 3.6 mg/kg

#### 8.2. Exposure controls

## Monday Dry Shampoo

<b>Appropriate engineering controls</b>	Provide adequate ventilation.
<b>Eye/face protection</b>	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment that provides appropriate eye and face protection should be worn.
<b>Hand protection</b>	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. To protect hands from chemicals, wear gloves that are proven to be impervious to the chemical and resist degradation.
<b>Respiratory protection</b>	Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Respirator selection must be based on exposure levels, the hazards of the product and the safe working limits of the selected respirator. Ensure all respiratory protective equipment is suitable for its intended use and is 'UKCA'-marked. Respiratory protection must be used if the airborne contamination exceeds the recommended occupational exposure limit. Wear a respirator fitted with the following cartridge: Combination filter, type A2/P2. Organic vapour + dust and mist filter. Half mask and quarter mask respirators with replaceable filter cartridges suitable for intended use should be used. Gas and combination filter cartridges suitable for intended use should be used. Particulate filters should comply with European Standard EN143. Disposable filtering half mask respirators suitable for intended use should be used. Check that the respirator fits tightly and the filter is changed regularly.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

<b>Appearance</b>	Aerosol.
<b>Colour</b>	White.
<b>Odour</b>	Perfume.
<b>pH</b>	Not determined.
<b>Flash point</b>	Not applicable.
<b>Relative density</b>	Not applicable.
<b>Solubility(ies)</b>	Insoluble in water.

#### 9.2. Other information

<b>Other information</b>	Not determined.
--------------------------	-----------------

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

<b>Reactivity</b>	There are no known reactivity hazards associated with this product.
-------------------	---

#### 10.2. Chemical stability

<b>Stability</b>	Stable at normal ambient temperatures and when used as recommended.
------------------	---

#### 10.3. Possibility of hazardous reactions

<b>Possibility of hazardous reactions</b>	Not determined.
---	-----------------

#### 10.4. Conditions to avoid

<b>Conditions to avoid</b>	Avoid heat, flames and other sources of ignition.
----------------------------	---

#### 10.5. Incompatible materials

## Monday Dry Shampoo

**Materials to avoid** No specific material or group of materials is likely to react with the product to produce a hazardous situation.

### 10.6. Hazardous decomposition products

**Hazardous decomposition products** Thermal decomposition or combustion products may include the following substances: Carbon dioxide (CO<sub>2</sub>). Carbon monoxide (CO).

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

#### Skin corrosion/irritation

**Skin corrosion/irritation** Scientifically unjustified.

#### Serious eye damage/irritation

**Serious eye damage/irritation** Scientifically unjustified.

#### Respiratory sensitisation

**Respiratory sensitisation** Not sensitising.

#### Skin sensitisation

**Skin sensitisation** Not sensitising.

#### Germ cell mutagenicity

**Genotoxicity - in vitro** Does not contain any substances known to be mutagenic.

**Genotoxicity - in vivo** Does not contain any substances known to be mutagenic.

#### Carcinogenicity

**Carcinogenicity** Does not contain any substances known to be carcinogenic.

#### Reproductive toxicity

**Reproductive toxicity - fertility** Does not contain any substances known to be toxic to reproduction.

**Reproductive toxicity - development** Does not contain any substances known to be toxic to reproduction.

#### Specific target organ toxicity - single exposure

**STOT - single exposure** Not classified as a specific target organ toxicant after a single exposure.

#### Specific target organ toxicity - repeated exposure

**STOT - repeated exposure** Not classified as a specific target organ toxicant after repeated exposure.

#### Aspiration hazard

**Aspiration hazard** Not relevant.

#### Inhalation

Vapours may cause headache, fatigue, dizziness and nausea.

#### Ingestion

Gastrointestinal symptoms, including upset stomach.

#### Skin contact

Prolonged contact may cause dryness of the skin.

#### Eye contact

May cause discomfort.

## SECTION 12: Ecological information

**Ecotoxicity** Not regarded as dangerous for the environment.

### 12.1. Toxicity

### 12.2. Persistence and degradability

## Monday Dry Shampoo

**Persistence and degradability** The product is expected to be biodegradable.

### 12.3. Bioaccumulative potential

**Bioaccumulative potential** The product does not contain any substances expected to be bioaccumulating.

### 12.4. Mobility in soil

**Mobility** The product is insoluble in water.

### 12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB assessment** This product does not contain any substances classified as PBT or vPvB.

### 12.6. Other adverse effects

**Other adverse effects** Not determined.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

**Disposal methods** Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements.

## SECTION 14: Transport information

**General** For limited quantity packaging/limited load information, consult the relevant modal documentation using the data shown in this section.

### Special Provisions note

#### 14.1. UN number

UN No. (ADR/RID) 1950

UN No. (IMDG) 1950

UN No. (ICAO) 1950

#### 14.2. UN proper shipping name

Proper shipping name (ADR/RID) AEROSOLS

Proper shipping name (IMDG) AEROSOLS

Proper shipping name (ICAO) AEROSOLS

#### 14.3. Transport hazard class(es)

ADR/RID class 2.1

ADR/RID classification code 5F

ADR/RID label 2.1

IMDG class 2.1

ICAO class/division 2.1

### Transport labels



## Monday Dry Shampoo

### 14.4. Packing group

Not applicable.

### 14.5. Environmental hazards

#### Environmentally hazardous substance/marine pollutant

No.

### 14.6. Special precautions for user

EmS F-D, S-U

ADR transport category 2

Tunnel restriction code (D)

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78  
and the IBC Code

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Guidance Workplace Exposure Limits EH40.

### 15.2. Chemical safety assessment

## SECTION 16: Other information

**Abbreviations and acronyms used in the safety data sheet**

ATE: Acute Toxicity Estimate.  
 ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.  
 CAS: Chemical Abstracts Service.  
 DNEL: Derived No Effect Level.  
 EC<sub>50</sub>: 50% of maximal Effective Concentration.  
 IATA: International Air Transport Association.  
 IMDG: International Maritime Dangerous Goods.  
 LC50: Lethal Concentration to 50 % of a test population.  
 LD50: Lethal Dose to 50% of a test population (Median Lethal Dose).  
 NOAEL: No Observed Adverse Effect Level.  
 PBT: Persistent, Bioaccumulative and Toxic substance.  
 PNEC: Predicted No Effect Concentration.  
 REACH: The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577.  
 UN: United Nations.  
 vPvB: Very Persistent and Very Bioaccumulative.

**Classification abbreviations and acronyms**

Aerosol = Aerosol  
 Eye Irrit. = Eye irritation  
 Flam. Gas = Flammable gas  
 Flam. Liq. = Flammable liquid  
 Press. Gas (Liq.) = Gas under pressure: Liquefied gas

**Revision comments** This is the first issue.

**Revision date** 16/02/2022

**Revision** 1.0

**SDS number** 31989

## Monday Dry Shampoo

### Hazard statements in full

H220 Extremely flammable gas.  
H222 Extremely flammable aerosol.  
H225 Highly flammable liquid and vapour.  
H229 Pressurised container: may burst if heated.  
H280 Contains gas under pressure; may explode if heated.  
H302 Harmful if swallowed.  
H314 Causes severe skin burns and eye damage.  
H318 Causes serious eye damage.  
H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.