



TP-Link Archer C50 trådløs router Hurtigt ethernet Dual-band (2,4 GHz / 5 GHz) Hvid

Mærke : TP-Link

Produktkode: ARCHER C50 V4

Produktnavn : Archer C50

TP-Link Archer C50. WAN forbindelsestype: RJ-45. Wi-Fi-bånd: Dual-band (2,4 GHz / 5 GHz), Bedste Wi-Fi standard: Wi-Fi 5 (802.11ac), WLAN dataoverførselshastighed (maks): 867 Mbit/s. Ethernet LAN-grænsefladetype: Hurtigt ethernet, Ethernet LAN-datahastigheder: 10,100 Mbit/s, Kabelteknologi: 10/100Base-T(X). Sikkerhedsalgoritmer: 64-bit WEP, 128-bit WEP, WPA, WPA-PSK, WPA2, WPA2-PSK, Firewall sikkerhed: DoS, SPI Firewall IP Address Filter / MAC Address Filter / Domain Filter IP and MAC Address Binding. VoIP protokoller: IPv4 / IPv6



WAN-forbindelse		Protokoller	
Ethernet WAN *	✓	Universal Plug and Play (UPnP)	✓
DSL WAN *	✗	VoIP protokoller	IPv4 / IPv6
SIM-kort slot *	✗	Design	
3G/4G kompatibilitet USB-modem *	✗	Produktfarve	Hvid
WAN forbindelsestype	RJ-45	Husmateriale	Plast
Trådløse LAN funktioner		Kan monteres på væggen	✓
Wi-Fi-bånd *	Dual-band (2,4 GHz / 5 GHz)	Indikatorlampe	✓
Bedste Wi-Fi standard *	Wi-Fi 5 (802.11ac)	LED-indikatorer	LAN, Link, Strøm, WLAN
WLAN dataoverførselshastighed (maks) *	867 Mbit/s	Tænd-/slukkontakt	✓
Wi-Fi-standarder	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)	Produkttype *	Bordplade router
WLAN dataoverførselshastighed (første bånd)	867 Mbit/s	Godkendelser	
WLAN dataoverførselshastighed (anden bånd)	300 Mbit/s	Certificering	CE, FCC, RoHS
Netværk		Emballage indhold	
Ethernet LAN *	✓	Kabler inkluderet	LAN (RJ-45)
Ethernet LAN-grænsefladetype *	Hurtigt ethernet	AC-adapter inkluderet	✓
Ethernet LAN-datahastigheder	10,100 Mbit/s	Hurtig installationsvejledning	✓
Kabelteknologi	10/100Base-T(X)	Antenne	
Netværksstandarder	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n	Antennedesign *	Ekstern
Portvideresendelse	✓	Niveau for antennestyrke (maks.)	76 dBi
Dynamisk DNS (DDNS)	✓	Antenner, antal	4
Statisk rute	✓	Aftagelig (e) antenne (r)	✓
VPN gennemløb	✓	Modtaget effekt	23 dBmW
Modtager, følsomhed	5GHz: 11a 54M: -76dBm 11ac VHT20 MCS8: -70dBm 11ac VHT40 MCS9: -65.5dBm 11ac VHT80 MCS9: -61.5dBm 2.4GHz: 11g 54M: -76dBm 11n HT20 MCS7: -74dBm 11n HT40 MCS7:	Overfører strøm	CE: <20dBm(2.4GHz), <23dBm(5GHz), FCC: <30dBm
		Strømstyring	
		Strømkilde type *	Vekselstrøm
		Vekselstrømsindgangsspænding	220 - 240 V
		Vekselstrømsindgangsfrekvens	50 - 60 Hz
		Udgangsspænding	9 V
		Udgangsstrøm	0,85 A

Mobilt netværk		Driftsbetingelser	
3G	✗	Driftstemperatur (T-T)	0 - 40 °C
4G	✗	Opbevaringstemperatur (T-T)	-40 - 70 °C
Porte & Grænseflader		Relativ luftfugtighed ved drift (H-H)	10 - 90%
Ethernet LAN-porte (RJ-45) *	4	Relativ luftfugtighed ved opbevaring (H-H)	5 - 90%
USB-port *	✗	Systemkrav	
Hukommelseskortstik	✗	Understøttede Windows-operativsystemer	Windows 10, Windows 2000, Windows 8, Windows 8 Enterprise x64, Windows 8.1, Windows 98SE, Windows NT, Windows XP
DC-in-stik	✓	Understøttede Linux-operativsystemer	✓
Administrationsfunktioner		Understøttede Mac-operativsystemer	macOS
Webbaseret administration	✓	Mac kompatibilitet	✓
Knap til nulstilling	✓	Vægt & størrelser	
WPS trykknop	✓	Bredde	230 mm
Sikkerhed		Dybde	144 mm
Sikkerhedsalgoritmer	64-bit WEP, 128-bit WEP, WPA, WPA-PSK, WPA2, WPA2-PSK	Højde	35 mm
Firewall	✓	Emballeringsdata	
Firewall sikkerhed	DoS, SPI Firewall IP Address Filter / MAC Address Filter / Domain Filter IP and MAC Address Binding	Pakkebredde	290 mm
Adgangskontrolliste (ACL)	✓	Pakkedybde	240 mm
Stateful Packet Inspection (SPI)	✓	Pakkehøjde	76 mm
DoS angrebsforebyggelse	✓	Pakkevægt	670 g
Filtrering	✓	Pakketype	Kasse
Filtrering af MAC-adresser	✓	Logistik data	
IP-adresse filtrering	✓	Harmoniseret systemkode (HS)	85176990
Understøttelse af DMZ	✓		
Protokoller			
DHCP-klient	✓		
DHCP-server	✓		




5054629850633



7426044563555



0780411316845



780411316845



0724627273646



724627273646



5054242356413



6935364095710



6935364081065

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.