

PAGE 1	INDEX / GENERAL
PAGE 2	STRING ENDS / ZIPPER
PAGE 3	HATS / HOODS
PAGE 4	OUTERWEAR / JACKETS
PAGE 5	TOPS
PAGE 6	BOTTOMS - FRONT SIDE
PAGE 7	BOTTOMS - BACK SIDE
PAGE 8	SATIN LOOPS - WAIST
PAGE 9	DRESS/BOW/SASH - FRONT SIDE
PAGE 10	DRESS/BOW/SASH - BACK SIDE
PAGE 11	FRINGES AND KNOTS
PAGE 12	DECORATIVE TRIM

GENERAL

The purpose of this instruction is to ensure safety in all our childrens wear.

Supplier is responsible to make all products compliant with:

General Product Safety Regulation,
CEN/TR 16792 and Safety of children's clothing
EN 14682 Safety of children's clothing
CEN/TR 17376 Safety of children's clothing

Size range for Salling Group:

MINI(baby): from birth to size 92 cm

KIDS(børn): from size 92 cm to size 152 cm

TEEN: from size 134 cm to size 176 cm



Functional cord:

Cord, ribbon, string or tape, made of any textile or non-textile material including elastic material, which is used to adjust the size of the opening, or part of the garment to fasten the garment itself.

Drawstring

Cord, chain, ribbon, string or tape, made of any textile or non-textile material, including elastic material, which passes through a channel, loop(s) or eyelet(s) or similar, to adjust the size of the opening, or part of the garment or to fasten the garment itself.



Decorative cord

Non-functional cord, chain, ribbon, string or tape, made of any textile or non-textile material including elastic material, with a free end with or without embellishment, which is not intended to be used to adjust the size of the garment opening or fasten the garment itself.

String ends:

String ends must be with a shoelace end or folded so it is not too thick and fastened

– **must be secured to prevent fraying.**


Never use a knot, pearls or other 3D effects that can cause choking hazard.

Ends may not ravel so the total length of the string will increase in size.

Toggles:

Strings in toggles shall not have any free ends.

Salling Group rule - no toggles in MINI styles



Fixed loops:

E.g. hanger loops, loops or fixed bows which protrude from garment, must be no longer than 7,5 cm in circumference.

Drawstrings:

When drawstrings are permitted, they must be attached at least at one point center back with e.g. a bartack.

Zipper puller:

Zipper pullers are allowed if they are no longer than 7,5 cm incl embellishment and have no 3D ends.

The pullers must be flat, fully sewn or be with split ends.

Knots or any kind of 3D ends are not allowed. Loop is allowed if circumference is max 7,5 cm




Note: please see page 2 (above) for string ends.


If the hat has any decorative trimming e.g. pompom, there may not be anything around the chin.
(Due to danger of suffocation and the child can get caught)

String ends: no "3D effects" that can get caught at string ends.

Maximum string length = 22 cm (from EU Toy Safety Directive 2009/48/EC and **EN 14682 Safety of children's clothing**)



Pompoms must be bigger than 3,2 cm in diameter.
And maximum 7,5 cm in diameter.




Scarfs, tubes and the like – be aware of the following:
Must NOT be loose knitted/crocheted
Must NOT have hanging frays, pompoms, or the like
Tubes must fit close to neck when wearing




Decorated hoods for suits or tops

Can have ears or horn etc. if it's made in fabric and not cords.
Max length of 7,5cm
Not able to be tied together.
No 3D ends.

String at hood MINI, KIDS: no strings!



Hood MINI and KIDS:
Not law - rule for Salling Group.
 Hood must be detachable.
 If fur trim at edge, the band must be detachable with press buttons or zipper.
 No closure under chin.




Hood TEEN:
 There may be no cords or straps at back or at the side of the hood if it's not detachable. But if it is detachable then you can add strings and straps at max 7,5 cm.

Adjustable strap at sleeve

is ok but must not hang below bottom of sleeve.
 This means that the strap must not be too soft/ thin.
 Shall lie flat against the garment.

Maximum length = 10 cm
 Minimum width = 2 cm



Note: please see page 5 for loose belts

Note: please see page 7 for sash / soft belts tied at front

Note: please see page 8 for sash / soft belts tied at back

Adjustable strap at bottom


is ok but must not hang below bottom when it is unfastened.
 This means that the strap must not be too soft/ thin.
 Shall lie flat against the garment.

Shall have no button, toggle or any 3D shape.

Maximum length = 14 cm
 Minimum width = 2 cm

String at bottom
 may not hang below hemline.
Adjustable bottom see page 4
 is ok but the elastic must never hang below hemline.

Zipper puller
 See page 2



String at hood TEEN

Drawstring with free ends = not permitted
Functional cord is ok, but maximum length 7,5 cm.
Decorative cord + embellishment = maximum length 7,5 cm
No elastic strings allowed

String at hood MINI, KIDS:

no strings!

Note:
please see page 2
for **string ends**

String length

not elastic.

Strings are allowed on
short sleeves (above elbow)


Maximum string length:

MINI / KIDS = **7,5 cm**

TEEN = **14 cm**

No "3D effects" that can get
caught at ends

No strings at bottom
of long sleeves.



Zipper puller
See page 2

Strap lenght above elbow

KIDS: max **7,5 cm**

TEEN: max **14 cm**


Strap for fold up
maximum length = **14 cm**

Adjustable strap at sleeve
is ok but may not hang be-
low bottom of sleeve when it
is open.

This means that the strap
may not be too soft/ thin.

Minimum width = **2 cm**


Maximum length = **10 cm**



MINI/ KIDS: strap must
be fastened at fold,
so the length does not
get more than **7,5 cm**

TEEN: the middle /
center of the
strap must be above
elbow.

Straps must be placed
so they never hang
below bottom of sleeve
when they are unfolded



Functional string length for MINI, KIDS, TEEN styles:

Salling Group rule

when cord hang loose from exithole

Size: 62+68+74: **10 cm**

Size: 80+86+92: **12 cm**

Size: 98+104+110+116: **14 cm**

Size: 22+128+134+140: **16 cm**

Size: 146+152+158: **18 cm**

Size: 164+170: **20 cm**

Functional string length at waist

not elastic.

maximum string length
measured from "exithole":
when waist is tightened
to normal use = **28 cm**

Decorative string length at waist

not elastic.

maximum string length
measured from "exithole":
when waist is loose = **14 cm**
when waist is tightened
to normal use = **28 cm**

**Note: please see
page 1 for string ends**

Zipper at bottom

is ok as long as the zipper
puller does not hang below
hemline.

Adjustable waist and string
must be fastened center back.



Belloops

maximum length = **7,5 cm**
must lay flat

Adjustable strap at bottom

is ok but must not hang
below
bottom when the strap is
unfastened.

This means that the strap
must not be too soft/ thin.
Shall lie flat to garment.
Maximum length = **14 cm**
minimum width = **2 cm**




Stirrups
"elastic band
to go
around foot"
is ok

**String at bottom
is not allowed!**


Adjustable bottom
is ok but the elastic
must never hang
below.


Adjustable bottom must be placed on the inside of the garment

Adjustable bottom: When bottom is tightened



Adjustable bottom: When bottom is loose







Loose belts

Belts with buckle / hard belts such as leather. Width = 3cm
all belts to be tied/ sashes / soft belts such as fabric.
Width = minimum **3 cm**

Note: also see page 9 and 10 for

belts to be tied/ sashes / soft belts such

Satin loops placed inside waistband, may not be above waistband edge



Halterneck

No tie strings or loose ends are allowed.

Clip fastenings is acceptable.

Adjustment with ring and slider is allowed if the strap and loop lie flat to the body.

Click closure allowed, if it lies flat to body.

Elastic inside is allowed.

Functional bows and strings

with ring and slider

Use of clips or fastening of two

cords is acceptable - only if

there are no free ends of the cord when garment is worn.

Straps must lie flat to body.

Shoulder straps

Must lie flat to body.

Clip fastening is acceptable.

Elastic allowed.

No tie strings are allowed.

Shoulder straps with free ends, when worn

MINI + KIDS = 0 cm long free ends

TEEN = 14 cm long free ends

Sash / soft belts at front or side of garment

Must be attached with bartack at Center Back.

Width = minimum 3 cm

Maximum length measured from where the belt is to be tied = maximum 36 cm

Fixed loops

Loops that lie flat to body may be 7,5 cm in length. E.g. beltloops.

Loops that go out from body may be 7,5 cm in circumference. E.g. bows.

Decorative cord / strings (MINI + KIDS)

may not be elastic.

maximum cord / string length = 7,5 cm

no button, knot, toggle, buckle, or 3D

embellishment on free ends

are allowed.

Shall not cross or be placed

so they can be tied across throat

Decorative bows

may not be elastic.


maximum cord / string length = 7,5 cm

maximum loop length = 7,5 cm

no button, knot, toggle, buckle, or 3D

embellishment on free ends

are allowed.



Fastened so it is not possible to untighten the bow

String length on dresses

not elastic

measured from "exithole"

when waist is loose = 14 cm

Length is for both functional and decorative cords.

String length

No strings below bottom.

Sash / belts for pants:

Same rules as for dresses. Min. 3 cm wide and max 36 cm from CF join



Note: please see page 2 for string ends


MINI, KIDS & TEEN

Zipper at CB of dress

Zipper puller at 7,5 cm is allowed on zipper.
If the extra puller has loop, then max circumference is maximum 7,5 cm

Strings at back of garment

Neck and chest area:
No decorative cords are allowed at the upper chest area / or neck area.




Sash / soft belts at back of garment

Loose belts or attached belts
width = minimum 3 cm
Length from where the belt is to be tied = maximum 36 cm
Length from where the belt hangs loose or where it is tied.
= must never hang below bottom hem

Strings at back of garment

Waist area:
No drawstrings or functional cords may be attached from the back.
Decorative cord is allowed in maximum length 7,5 cm incl adjustable tabs
No knots, toggle or 3D ends.

Fringes are considered a series of decorative cords.




**TOP
Front**

Fringes or frills at front:

Above crotch 7,5cm is allowed.
May not be able to extend.

Salling Group rule: decorative
cords up to 2cm are allowed at
hemline if the hem ends below the
crotch area.




**TOP
Back**

Fringes or frills at back:



May not be able to extend.

Salling Group rule:
Max length at 2cm



Length front


**Fringes or
frills:**
May not be
able to extend.
Salling Group
rule: Max length
2cm on skirts
and dress hem
is allowed.



Fringes or frills at side:
May not be able to extend.

Salling Group rule: Max length at
2cm is allowed.


Hemline



Knots at front:

Knots are allowed at hemline if tiestrings
does not end below crotch.


Tie strings to be as short as possible.



7,5cm

Length of straps to tie:

Max length from valley to tip 7,5cm
Measure as shown on the drawing.



Length front

USE OF DECORATIVE TRIM FOR SIZE 0 - 98CM

MINI: from **birth** to size **98cm**

Special rules for small children under 3 years because of choking hazard.

At Salling Group size 92+98cm is the smallest size for the KIDS range, and below rules must be followed for these sizes. If it's not possible to follow the rules, then the sizes 92+98cm must be removed from the assortment.

SEQUINS / STUDS / BEADS



Attachments:

Must withstand a pull of 50 newton - if max 6mm

Must withstand a pull of 90 newton - if more than 6mm

POMPOMS



Attachments:

Must withstand a pull of 50 newton - soft.

Must withstand a pull of 90 newton - with hard center.

SEQUINS

Never use sequins for MINI styles. (Salling Group rule)

Sequins must be fastened at 3-4 points when used for size 98 or 98/104

Sequins decorations that are not possible to fasten at 3-4 points must eg be made as glitter/foil/high rubber print for size 98 or 98/104. For knitwear sequins decoration can be made as jacquard knit pattern.

Turnable sequins allowed from size 104.

STUDS / BEADS

Never use studs/beads for MINI styles. (Salling Group rule)

Studs/beads decorations must eg be made as glitter/foil/high rubber print for size 98 or 98/104.

EXAMPLES OF ALTERNATIVE DECORATION SOLUTIONS:




RUBBER PRINT ON KNIT



"HIGH FOIL"


FOIL WITH RUBBER LAYER UNDERNEATH



3D FABRIC SEWN AS PRINT



GLITTER PRINTING




GLITTER PRINTED
"SEQUINS"




"SEQUINS" MADE AS
HIGH RUBBER PRINTING



GLITTER PRINTING



SEQUINS ON A STRING FIXED
AT 3 POINTS EACH SEQUIN



SEQUINS FIXED AT 4 POINTS
EACH SEQUIN



SEQUINS PLACED RANDOM
(FROM SIZE 104cm)